Contracting organization	Mascot International A/S, Denmark		
Project team	Corporate Responsibility Department, Mascot International A/S		
Review of Mascot's Life-Cycle Assessment (LCA) methodology and product LCA	Quantis Sàrl, Switzerland		
Method validity date	December 2023 Methodology is valid for 5 years		
Method	ISO 14040:2006 + A1:2020 / ISO 14044:2006 + A1:2018 + A2:2020. Product Environmental Footprint Category Rules (PEFCR) for Apparel and Footwear is followed when possible.		
Description of system boundaries	Cradle to grave		
LCIA method	EF 3.1 (adapted)		
Data collection	Primary data – main source. Generic data from ecoinvent v.3.10 APOS database Reference year is 2024		
LCA software used	SimaPro v.9.6.0.1		
Data quality	Method for data quality rating (DQR) developed in alignment with the PEF requirements.		
Data quality declaration	High (rated as described in PEFCR for Apparel and Footwear).		
Limitations	Style studies are based on reference sizes as defined in PEFCR for apparel and footwear. Current model is also based on reference colours. For other sizes and colours, the reader is encouraged to bear this in mind.		
LCA methodology summary report	Contact <u>responsibility@mascot.dk</u> if you are interested in the report.		

Main fabric: 83%rPES/ 17%XLA

# LIFE CYCLE ASSESSMENT FACTSHEET

April 2025 version 2.1

#### **TARGET GROUP**

The 19279 is part of a collection designed for a broad target group in different more demanding work situations within contractors, road workers, offshore and wind sector, airport workers and sailors and with laundry agreements.

### LONG-LASTING DURABILITY

By analysing fabric performance requirements and collecting data on customer experience, the LCA is verified by Quantis for an estimated duration of service of use in hard working situations and with industrial wash every week.

#### **CRADLE-TO-GRAVE**

Cradle-to-grave is a scoping of the LCA that calculates the entire lifecycle of a product from Extraction of Raw materials to the Use & Wash and End-of-Life stages. Cradle-to-grave results are presented per use according to PEF Category Rules for Apparel and Footwear.

## **METHODOLOGY**


MASCOT LCAs is mainly based on primary data from own factories and suppliers. MASCOT LCAs are calculated according to ISO14040/44. The method is verified by Quantis and applies to all colours.

Cradle to Gate: 10,1 kg CO<sub>2</sub> per garment

Cradle to Grave: 0,0805 kg CO<sub>2</sub> per use Based on an ISO compliant methodology verified by Quantis



## **PROCESS CHAIN**





Style: 19279-510

Main fabric: 83%rPES/ 17%XLA

## THE 16 IMPACT FACTORS

Impact category	Damage assessment	Impact to-gate	Impact to-grave
	unit	per garment	per use
Acidification	mol H⁺ eq	0,0651	0,000332
Climate change	kg CO <sub>2</sub> eq	10,1	0,0805
Climate change - Biogenic	kg CO₂ eq	0,126	0,00107
Climate change - Fossil	kg CO₂ eq	9,96	0,0778
Climate change - Land use and LU change	kg CO₂ eq	0,046	0,00165
Ecotoxicity, freshwater	CTUe	42,9	0,706
Ecotoxicity, freshwater - part 2	CTUe	33,5	0,19
Ecotoxicity, freshwater - inorganics	CTUe	53,8	0,667
Ecotoxicity, freshwater - organics part 1	CTUe	12,8	0,193
Ecotoxicity, freshwater - organics part 2	CTUe	9,89	0,0361
Particulate matter	disease inc.	0,000000565	0,00000000302
Eutrophication, marine	kg N eq	0,02	0,000121
Eutrophication, freshwater	kg P eq	0,000622	0,00000912
Eutrophication, terrestrial	mol N eq	0,142	0,000799
Human toxicity, cancer	CTUh	0,0000000252	0,00000000238
Human toxicity, cancer - inorganics	CTUh	0,0000000162	0,0000000000869
Human toxicity, cancer - organics	CTUh	0,0000000236	0,000000000229
Human toxicity, non-cancer	CTUh	0,0000016	0,000000000855
Human toxicity, non-cancer - inorganics	CTUh	0,00000142	0,000000000776
Human toxicity, non-cancer - organics	CTUh	0,000000187	0,000000000788
Ionising radiation	kBq U <sup>-235</sup> eq	0,672	0,00284
Land use	Pt	56,1	0,416
Ozone depletion	kg CFC11 eq	0,00000266	0,00000000694
Photochemical ozone formation	kg NMVOC eq	0,0441	0,000277
Resource use, fossils	MJ	143	1,12
Resource use, minerals and metals	kg Sb eq	0,000173	0,00000061
Water use	m³ depriv.	23,5	0,0692

