

LCA Information

Style nr. 20719-563

Contracting organization	Mascot International A/S, Denmark
Project team	Corporate Responsibility Department, Mascot International A/S
Review of Mascot's Life-Cycle Assessment (LCA) methodology and product LCA	Quantis Sàrl, Switzerland
Method validity date	December 2023 Methodology is valid for 5 years
Method	ISO 14040:2006 + A1:2020 / ISO 14044:2006 + A1:2018 + A2:2020. Product Environmental Footprint Category Rules (PEFCR) for Apparel and Footwear is followed when possible.
Description of system boundaries	Cradle to grave
LCIA method	EF 3.1 (adapted)
Data collection	Primary data – main source. Generic data from ecoinvent v.3.10 APOS database Reference year is 2023
LCA software used	SimaPro v.9.6.0.1
Data quality	Method for data quality rating (DQR) developed in alignment with the PEF requirements.
Data quality declaration	High (rated as described in PEFCR for Apparel and Footwear).
Limitations	Style studies are based on reference sizes as defined in PEFCR for apparel and footwear. Current model is also based on reference colours. For other sizes and colours, the reader is encouraged to bear this in mind.
LCA methodology summary report	Contact responsibility@mascot.dk if you are interested in the report.

LIFE CYCLE ASSESSMENT FACTSHEET

March 2025 version 2.1

TARGET GROUP

The 20719 is part of a collection designed for a broad target group in different work situations within trade, construction, manufacturing, industry and businesses with laundry agreements.

LONG-LASTING DURABILITY


By analysing fabric performance requirements and collecting data on customer experience, the LCA is verified by Quantis for an estimated duration of service of use in hard working situations and with industrial wash every week.

CRADLE-TO-GRAVE


Cradle-to-grave is a scoping of the LCA that calculates the entire lifecycle of a product from Extraction of Raw materials to the Use & Wash and End-of-Life stages. Cradle-to-grave results are presented per use according to PEF Category Rules for Apparel and Footwear.

METHODOLOGY

MASCOT LCAs is mainly based on primary data from own factories and suppliers. MASCOT LCAs are calculated according to ISO14040/44. The method is verified by Quantis and applies to all colours.



PROCESS CHAIN



THE 16 IMPACT FACTORS

Impact category	Damage assessment unit	Impact to-gate per garment	Impact to-grave per use
Acidification	mol H ⁺ eq	0,162	0,000758
Climate change	kg CO ₂ eq	12,5	0,147
Climate change - Biogenic	kg CO ₂ eq	0,161	0,00156
Climate change - Fossil	kg CO ₂ eq	12	0,141
Climate change - Land use and LU change	kg CO ₂ eq	0,343	0,00406
Ecotoxicity, freshwater	CTUe	66,9	1,42
Ecotoxicity, freshwater - part 2	CTUe	69,9	0,396
Ecotoxicity, freshwater - inorganics	CTUe	77,6	1,31
Ecotoxicity, freshwater - organics part 1	CTUe	29,1	0,41
Ecotoxicity, freshwater - organics part 2	CTUe	30,2	0,0987
Particulate matter	disease inc.	0,00000109	0,00000000605
Eutrophication, marine	kg N eq	0,211	0,000663
Eutrophication, freshwater	kg P eq	0,028	0,0000839
Eutrophication, terrestrial	mol N eq	0,558	0,0023
Human toxicity, cancer	CTUh	0,0000000427	0,000000000472
Human toxicity, cancer - inorganics	CTUh	-0,00000000257	0,00000000000349
Human toxicity, cancer - organics	CTUh	0,0000000453	0,000000000468
Human toxicity, non-cancer	CTUh	-0,000000257	0,000000000326
Human toxicity, non-cancer - inorganics	CTUh	-0,000000276	0,000000000211
Human toxicity, non-cancer - organics	CTUh	0,000000019	0,000000000115
Ionising radiation	kBq U ⁻²³⁵ eq	0,89	0,0047
Land use	Pt	1850	5,06
Ozone depletion	kg CFC11 eq	0,00000159	0,00000000532
Photochemical ozone formation	kg NMVOC eq	0,0574	0,000494
Resource use, fossils	MJ	146	1,98
Resource use, minerals and metals	kg Sb eq	0,000261	0,00000104
Water use	m ³ depriv.	49,1	0,145