

09335-880 Winter Jacket

detachable thermal jacket - water-repellent

MASCOT® SAFE COMPETE

141 171

S	M	L	XL	2XL	3XL	4XL
5XL						

Main material/upper material

100% polyester (MASCOTEX®)

240 g/m²

Do not soak.Wash separately.Do not use fabric softner.

Industrial care category C2

MASCOTEX®

BREATHABLE WINDPROOF WATER REPELLENT

- Breathable, windproof and water-repellent.
- Press studs to attach a hood if required.
- Multi-function jacket that can be adapted to the situation - includes both shell jacket, shell gilet, thermal jacket and thermal gilet.
- Quilted lining is a jacket in itself, approved to EN ISO 20471, with ribbed collar and removable sleeves.
- Extra protection against the cold with an extended back.

Technical info

Fluorescent with vertical and horizontal reflective tape. Two-toned. Breathable, windproof and water-repellent. Inner collar of soft, durable material. Removable sleeves. Extended back. Fastening with zip, storm flap and hidden press studs. Zipped pocket under storm flap. Chest pockets with flap with hook and loop band fastening. Phone chest pocket with zip. D-ring. Pen pocket. Front pockets. Rib (hidden in storm flap) and press stud fastening at cuffs. Press stud adjustment at waist. Hood press studs. Quilt lining can zip out and be used separately - has ribbed collar and pockets. The lining is also a separate jacket that can be worn alone. The fluorescent jacket is approved to EN ISO 20471 and has vertical and horizontal reflectors. 09335-880 is a winter jacket certified to EN ISO 20471 - class 3, outer shell jacket certified to EN ISO 20471 - class 3, outer shell gilet certified to EN ISO 20471 - class 2, thermal jacket certified to EN ISO 20471 - class 3 and thermal gilet certified to EN ISO 20471 - class 1 all in one - perfect for all weather conditions. Supplement the product with a hood, 05114-880 (see MASCOT® COMPLETE).

User

Certifications

OEKO-TEX® STANDARD 100 · EN ISO 20471 3 · HIGH-VIS GROUP: A · HIGH-VIS GROUP: C

- OEKO-TEX® STANDARD 100
- EN ISO 20471 - class 3 (without sleeves in accordance to EN ISO 20471 - class 2)
- Hi-Vis Group A
- Hi-Vis Group C

Logo

The product is certified with a maximum logo area of 0,0200m². This approved area must not be exceeded. Logos respectively on the front or back of the product, can only constitute a maximum of 50% of the total approved logo area in order to maintain the EN ISO 20471-certification. Note: The listed area is only a guide to how much space is available for logo placement. In order to maintain the product's hi-vis class according to EN ISO 20471, the instructions on logo size must be observed.

Logo placement:

- Workwear logo. Over left breast pocket. Max 8x3 cm/3.1x1.1 inches
- Workwear logo. Left breast pocket. Max 7x5 cm/2.7x1.9 inches
- Workwear logo. Over right breast pocket. Max 8x3 cm/3.1x1.1 inches
- Workwear logo. Right breast pocket. Max 8x5 cm/3.1x1.9 inches



- Workwear logo. Top of back. Max 25x8 cm/9.8x3.1 inches
- Workwear logo. Mid-back above reflector. Max 28x13 cm/11x5.1 inches
- Workwear logo. Horizontal on right sleeve. Max 7x3 cm/2.7x1.1 inches
- Workwear logo. Special placement. Contact to discuss further

